

## 8" Projected capacitive Multi-Touch Monitor

### Products application :

- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



AIM-TMPCTU080-R01



AIM-TMOPPCTU080-R01

### Order information :

### Touch interface :

### Mount type :

AIM-TM5R080-R01

USB ( Multi-Touch\*10 )

VESA ( Without Stand )

AIM-TMOP5R080-R01


USB ( Multi-Touch\*10 )

Embedded ( Open Frame )

AIM-TM5R080-R01V

USB ( Multi-Touch\*10 )

POS Stand ( 0.8kg )



## 8" Projected capacitive Multi-Touch Monitor

### Display Specifications :

Active Area	162 × 121 mm
Pixel Pitch	0.05275 × 0.15825 mm
Brightness	300 cd/m <sup>2</sup>
Contrast Ratio	700 : 1
Resolution	1024 x 768 ( XGA )
Viewing Angle	L/R150° ; U/D150°
Response Time	10ms ( Tr + Tf )
Display Colors	262K
Display Modes	640×480 ; 800×600 ; 1024×768
Signal input	VGA ; Audio
Speaker	1W ( 8Ω ) × 1
OSD Keyboard	⊙Power ⊙Auto adjust ⊕ ⊖ ⊙Menu
Power Source	DC 12V ( DC Jack Φ2.1mm )
Power Consumption	≤7w
Storage 、 Operation	-20~60°C ; -10~50°C
VESA	75×75 mm
Casing Colors	Black ( OEM other colors )
Casing Size 、 Weight	187.8 × 145.8 × 35.5 mm ; 1.2 kg ( W×H×D ) ( Without Stand )
Carton 、 gross weight	385 × 365 × 185 mm ; 2.2 kg ( W×H×D )
Accessory	VGA cable / AC90~260V Adapter / Power cable / USB cable / Cleaning wiper / Driver Disk

※AIM Touch has the right to update specs without further notice.



AIM-TMOP5R080-R01



## 8" Projected capacitive Multi-Touch Monitor

### Touch Feature :

Input Method	Capacitive stylus, Finger
Linearity	≤2.5mm
Surface	≥7H
Life Time	Unlimited
Application	Writing and Signature Capture Capability

### Software Feature :

Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English · Simple Chinese · Traditional Chinese · Japanese · French · German · Spanish · Korean · Arabic · Czech · Danish · Dutch · Greek · Hungarian · Italian · Norwegian · Russian · Polish · Portuguese · Slovenian · Swedish · Thai · Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click ( PDA function )
Touch Style	Drawing a Mode · button a Mode · Touch Off/ on Switch
Double Click	Configurable double click speed · Configurable double click area
Sound Modes	No sound · Touch down · Touch up
Display Support	display rotation · Support multiple monitors
Division Pattern	Support two halves and four parts with touch function, you can also create your own division patterns.
Settings:	
Edge compensation	Support edge compensation and you can also add your own numbers for it.
Support O.S	All Windows-32/64bit O.S Android ; Linux ; MAC




AIM-TM5R080-R01V










**3 Year Warranty**  
LCD Panel 1 Year





8" Embedded Touch Monitor.  
(Open Frame)

AIM-TMOPxxxx080-R01



8" Desktop Touch Monitor.  
(POS Stand)

AIM-TMxxxx080-R01 V