




# 10.4" inch Embedded Touch Monitor(Projected capacitive Multi-Touch)

## Products application :


- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



## 10.4" inch Embedded Touch Monitor(Projected capacitive Multi-Touch)

### Display Specifications :

Active Area	210 × 157 mm
Pixel Pitch	0.0685 × 0.2055 mm
Brightness	350 cd/m <sup>2</sup>
Contrast Ratio	1000 : 1
Resolution	1024 x 768 ( XGA )
Viewing Angle	L/R 178° ; U/D 178°
Response Time	25 ms ( Tr + Tf )
Display Colors	16.2 M
Display Modes	640×480 ; 800×600 ; 1024×768
Signal input	VGA ; Audio ; DVI
Mini-Audio out	1W ( 8Ω ) × 2
OSD Keyboard	⊙Menu/Select ⊖ ⊕ ⊙Auto/Exit ⊙Power
Power Source	DC 12V ; ≤10w ; Standby ≤1w
Power Consumption	
Storage · Operation	-20~70℃ ; -20~70℃
VESA	75×75 or 100×100 mm
Casing Colors	Black
Casing Size · Weight	279.4 × 220 × 36 mm ; 1.75kg ( W×H×D )
Carton · gross weight	315 × 150 × 295 mm ; 3.09kg ( W×H×D )




### Touch Feature :

Input Method	Capacitive stylus, Finger
Linearity	≤2.5mm
Surface	≥7H
Life Time	Unlimited
Application	Writing and Signature Capture Capability
PC Link	USB or RS232(Single-Touch)

### Software Feature :

Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English · Simple Chinese · Traditional Chinese · Japanese · French · German · Spanish · Korean · Arabic · Czech · Danish · Dutch · Greek · Hungarian · Italian · Norwegian · Russian · Polish · Portuguese · Slovenian · Swedish · Thai · Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click ( PDA function )
Touch Style	Drawing a Mode · button a Mode · Touch Off/ on Switch
Double Click	Configurable double click speed · Configurable double click area
Sound Modes	No sound · Touch down · Touch up
Display Support	display rotation · Support multiple monitors
Division Pattern	Support two halves and four parts with touch function, you can also create your own division patterns.
Settings:	Support edge compensation and you can also add your own numbers for it.
Edge compensation	All Windows-32 bit O.S
Support O.S	Windows7-8-10 : XP-64 bit O.S Android ; A II Linux ; MAC



### Order information :

AIM-TMOPPCTU104-R21 :	【VGA/AUDIO/DVI/USB-TOUCH】	AIM-TMOPPCTU104-R22 :	【VGA/AUDIO/DVI/RS232-TOUCH】
Accessory	VGA Cable/AC90~260V Adapter/Power Cable/Audio Cable/USB or RS232 Cable/Cleaning wipes/Driver Disk		
	※DVI Cable(Optional)		



**3 Year Warranty**  
LCD Panel 1 Year



