


## 12.1" inch Embedded Touch Monitor

### Products application :

- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



## 12.1" inch Embedded Touch Monitor

### Display Specifications :

Active Area	246 × 184 mm
Pixel Pitch	0.3075 × 0.3075 mm
Brightness	330 cd/m <sup>2</sup>
Contrast Ratio	800 : 1
Resolution	800 x 600 ( SVGA )
Viewing Angle	L/R 160° ; U/D 140°
Response Time	30 ms ( Tr + Tf )
Display Colors	16.2M
Display Modes	640×480 ; 800×600
Signal input	VGA ; Audio ; DVI
Mini-Audio out	1W ( 8Ω ) × 2
OSD Keyboard	⊙Menu/Select ⊙ - ⊙ + ⊙Auto/Exit ⊙Power
Power Source	DC 12V ; ≤ 12.5w ; Standby ≤ 1w
Power Consumption	
Storage	-30~70°C ; -10~65°C
Operation	
VESA	75×75 or 100×100 mm
Casing Colors	Black
Casing Size	323.7 × 262.4 × 45 mm ; 2.3 kg ( W×H×D )
Weight	
Carton	400 × 125 × 330 mm ; 3.04 kg ( W×H×D )
gross weight	



### Touch Feature :

Input Method	Finger, gloved hand, or stylus activation
Activation Force	≥ 50g
Linearity	≤ 1.5%
Surface	≥ 3H
Life Time	≤ 35,000,000
Application	Writing and Signature Capture Capability
PC Link	USB or RS232

### Software Feature :

Calibration	Fast full oriental 4 points position
Compensation	Edge compensation. Accuracy 25 points linearity compensation
Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English、Simple Chinese、Traditional Chinese、Japanese、French、German、Spanish、Korean、Arabic、Czech、Danish、Dutch、Greek、Hungarian、Italian、Norwegian、Russian、Polish、Portuguese、Slovenian、Swedish、Thai、Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click ( PDA function )
Touch Style	Drawing a Mode、button a Mode、Touch Off/ on Switch
Double Click	Configurable double click speed、Configurable double click area
Sound Modes	No sound、Touch down、Touch up
COM Port Support	COM1 ~ COM255 for Windows and Linux COM1 ~ COM8 for MS- DOS
Display Support	display rotation、Support multiple monitors
Support O.S	All Windows-32 bit O.S Windows7-8-10 ; XP-64 bit O.S MS-DOS ; All Linux ; MAC







### Order information :

AIM-PM5R121-R21 : Accessory	【VGA/AUDIO/DVI/USB-TOUCH】 VGA Cable/AC90~260V Adapter/Power Cable/Audio Cable/USB or RS232 Cable/Touch Pen/ Cleaning wipes/Driver Disk ※DVI Cable(Optional)	AIM-PM5R121-R22 : Accessory	【VGA/AUDIO/DVI/RS232-TOUCH】
--------------------------------	---	--------------------------------	-----------------------------



**3 Year Warranty**  
LCD Panel 1 Year





12.1"Embedded Touch Monitor.

AIM-PMxxxx121-R21\_R23