

## 12.1" Projected capacitive Multi-Touch Monitor

### Products application :

- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



AIM-TMPCTU121-R15



AIM-TMOPPCTU121-R15

### Order information :

### Touch interface :

### Mount type :

AIM-TMPCTU121-R15

USB

VESA ( Without Stand )

AIM-TMOPPCTU121-R15

USB

VESA ( Without Stand )

AIM-TMPCTU121-R15 A

USB

Foldable Stand ( 1.4kg )

AIM-TMPCTU121-R15 V

USB

POS Stand ( 0.8kg )



## 12.1" Projected capacitive Multi-Touch Monitor

### Display Specifications :

Active Area	245 × 184 mm
Pixel Pitch	0.240 × 0.240 mm
Brightness	500 cd/m <sup>2</sup>
Contrast Ratio	1000 : 1
Resolution	1024 x 768 ( XGA )
Viewing Angle	L/R178° ; U/D178°
Response Time	25ms ( Tr + Tf )
Display Colors	16.7M
Display Modes	640×480 ; 800×600 ; 1024×768
Signal input	VGA ; Audio ; Display Port ; HDMI
Speaker	1W ( 8Ω ) × 1
OSD Keyboard	⊙Power ⊙Auto adjust ⊕ ⊖ ⊙Menu
Power Source	DC 12V ( DC Jack Φ2.1mm )
Power Consumption	≤15w
Storage 、 Operation	-40~80°C ; -30~70°C
VESA	75×75 ; 100×100 mm
Casing Colors	Black ( OEM other colors )
Casing Size 、 Weight	291.8 × 231.9 × 45.5 mm ; 2.1 kg ( W×H×D ) ( Without Stand )
Carton 、 gross weight	385 × 365 × 185 mm ; 3.5 kg ( W×H×D )
Accessory	VGA cable / HDMI cable / Audio cable / AC90~260V Adapter / Power cable / USB cable / Cleaning wipes / Driver Disk ※DP cable ( Optional )



AIM-TMPCTU121-R15 A



※AiM Touch has the right to update specs without further notice



## 12.1" Projected capacitive Multi-Touch Monitor

### Touch Feature :

Input Method	Capacitive stylus, Finger
Linearity	≤2.5mm
Surface	≥7H
Life Time	Unlimited
Application	Writing and Signature Capture Capability

### Software Feature :







Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English · Simple Chinese · Traditional Chinese · Japanese · French · German · Spanish · Korean · Arabic · Czech · Danish · Dutch · Greek · Hungarian · Italian · Norwegian · Russian · Polish · Portuguese · Slovenian · Swedish · Thai · Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click ( PDA function )
Touch Style	Drawing a Mode · button a Mode · Touch Off/ on Switch
Double Click	Configurable double click speed · Configurable double click area
Sound Modes	No sound · Touch down · Touch up
Display Support	display rotation · Support multiple monitors
Division Pattern	Support two halves and four parts with touch function, you can also create your own division patterns.
Settings:	
Edge compensation	Support edge compensation and you can also add your own numbers for it.
Support O.S	All Windows-32/64bit O.S Android ; Linux ; MAC



AIM-TMPCTU121-R15 V










**3 Year Warranty**  
LCD Panel 1 Year



12.1" Touch Monitor.  
(VESA Mount)








AIM-TMxxxx121-R15





12.1" Desktop Touch Monitor.  
(Foldable Stand)

AIM-TMxxxx121-R15 A



12.1" Desktop Touch Monitor.  
(POS Stand)

AIM-TMxxxx121-R15 V