

## 15" Projected capacitive Multi-Touch Monitor

### Products application :

- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



AIM-TMPCTU150-V07




AIM-TMPCTU150-V W07

### Order information :

### Touch interface :

### Mount type :

AIM-TMPCTU150-G07 N ( Black )	USB	VESA ( Without Stand )
AIM-TMPCTU150-GW07 N ( White )	USB	VESA ( Without Stand )
AIM-TMPCTU150-G07 ( Black )	USB	Foldable Stand ( 1.4kg )
AIM-TMPCTU150-P07 ( Black )	USB	Photo Stand ( 1kg )
AIM-TMPCTU150-V07 ( Black )	USB	POS Stand ( 1.1kg )
AIM-TMPCTU150-V W07 ( White )	USB	POS Stand ( 1.1kg )



## 15" Projected capacitive Multi-Touch Monitor

### Display Specifications :

Active Area	304 × 228 mm
Pixel Pitch	0.297 × 0.297 mm
Brightness	300 cd/m <sup>2</sup>
Contrast Ratio	2000 : 1
Resolution	1024 × 768 ( XGA )
Viewing Angle	L/R176° ; U/D176°
Response Time	23ms ( Tr + Tf )
Display Colors	16.2M
Display Modes	640×480 ; 800×600 ; 1024×768
Signal input	VGA ; Audio ; Display Port ; HDMI
Speaker	1W ( 8Ω ) × 1
OSD Keyboard	⊙Power ⊙Auto adjust ⊕ ⊖ ⊙Menu
Power Source	DC 12V ( DC Jack Φ2.1mm )
Power Consumption	≤14w
Storage 、 Operation	-30~70°C ; -20~70°C
VESA	75×75 mm
Casing Colors	Black ( White )
Casing Size 、 Weight	347 × 276 × 45.2 mm ; 2.6 kg ( W×H×D ) ( Without Stand )
Carton 、 gross weight	410 × 420 × 140 mm ; 4.1 kg ( W×H×D )
Accessory	VGA cable / HDMI cable / Audio cable / AC90~260V Adapter / Power cable / USB cable / Cleaning wipes / Driver Disk ※DP cable ( Optional )

※AiM Touch has the right to update specs without further notice.



AIM-TMPCTU150-G07



AIM-TMPCTU150-P07



## 15" Projected capacitive Multi-Touch Monitor

### Touch Feature :

Input Method	Capacitive stylus, Finger
Linearity	≤2.5mm
Surface	≥7H
Life Time	Unlimited
Application	Writing and Signature Capture Capability

### Software Feature :




Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English · Simple Chinese · Traditional Chinese · Japanese · French · German · Spanish · Korean · Arabic · Czech · Danish · Dutch · Greek · Hungarian · Italian · Norwegian · Russian · Polish · Portuguese · Slovenian · Swedish · Thai · Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click ( PDA function )
Touch Style	Drawing a Mode · button a Mode · Touch Off/ on Switch
Double Click	Configurable double click speed · Configurable double click area
Sound Modes	No sound · Touch down · Touch up
Display Support	display rotation · Support multiple monitors
Division Pattern	Support two halves and four parts with touch function, you can also create your own division patterns.
Settings:	
Edge compensation	Support edge compensation and you can also add your own numbers for it.
Support O.S	All Windows-32/64bit O.S Android ; Linux ; MAC



AIM-TMPCTU150-V07










**3 Year Warranty**  
LCD Panel 1 Year










15" Touch Monitor.  
(VESA Mount)

AIM-TMxxxx150-G07 N










15" Desktop Touch Monitor.  
(Folding Stand)

AIM-TMxxx150-G07



15" Desktop Touch Monitor.  
(Photo Stand)

AIM-TMxxx150-P07



15" Desktop Touch Monitor.  
(POS Stand)

AIM-TMxxxx150-V07