




15.6" inch Embedded Touch Monitor (Projected Capacitive Multi-Touch)

Products application :

- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



15.6" inch Embedded Touch Monitor (Projected Capacitive Multi-Touch)

Display Specifications :

Active Area	344 × 193 mm
Pixel Pitch	0.17925 × 0.17925 mm
Brightness	220 cd/m ²
Contrast Ratio	800 : 1
Resolution	1920 × 1080 (Full HD)
Viewing Angle	L/R 170° ; U/D 170°
Response Time	25 ms (Tr + Tf)
Display Colors	262K
Display Modes	640×480 ; 800×600 ; 1024×768 ; 1280×720 ; 1280×1024 ; 1366×768 ; 1440×900 ; 1680×1050 ; 1920×1080
Signal input	VGA ; Audio ; DVI
Mini-Audio out	1W (8Ω) × 2
OSD Keyboard	⊙ Menu/Select ⊙ - ⊙ + ⊙ Power
Power Source	DC 12V ; ≤9.5w ; Standby ≤1w
Power Consumption	
Storage Operation	-20~60°C ; 0~50°C
VESA	75×75 mm
Casing Colors	Black
Casing Size Weight	395 × 240 × 47 mm ; 2.6 kg (W×H×D)
Carton gross weight	550 × 400 × 180 mm ; 4.25 kg (W×H×D)



Touch Feature :

Input Method	Capacitive stylus, Finger
Linearity	≤2.5mm
Surface	≥7H
Life Time	Unlimited
Application	Writing and Signature Capture Capability
PC Link	USB or RS232(Single-Touch)

Software Feature :

Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English · Simple Chinese · Traditional Chinese · Japanese · French · German · Spanish · Korean · Arabic · Czech · Danish · Dutch · Greek · Hungarian · Italian · Norwegian · Russian · Polish · Portuguese · Slovenian · Swedish · Thai · Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click (PDA function)
Touch Style	Drawing a Mode · button a Mode · Touch Off/ on Switch
Double Click	Configurable double click speed · Configurable double click area
Sound Modes	No sound · Touch down · Touch up
Display Support	display rotation · Support multiple monitors
Division Pattern	Support two halves and four parts with touch function, you can also create your own division patterns.
Settings:	
Edge compensation	Support edge compensation and you can also add your own numbers for it.
Support O.S	All Windows-32 bit O.S Windows7-8-10 : XP-64 bit O.S Android : All Linux : MAC






Order information :

AIM-TMOPPCTU156-T01W :	【VGA/DVI/AUDIO/USB-TOUCH】	AIM-TMOPPCTU156-T02W :	【VGA/DVI/AUDIO/RS232-TOUCH】
Accessory	VGA Cable/AC90~260V Adapter/Power Cable/Audio Cable/USB or RS232 Cable/Cleaning wipes/ Driver Disk		
	※DVI Cable(Optional)		



3 Year Warrenty
LCD Panel 1 Year





15.6" Embedded Touch Monitor.

AIM-TMPxxxxx156-T01W